



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP FIXPASTE REMA GOO PART A

Revision date: 31.01.2018

Product code: 00156-0379

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

TIP TOP FIXPASTE REMA GOO PART A

##### Art.-No.

525 3100, 525 3105, 594 2510

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Conveyor belt repair material

##### 1.3. Details of the supplier of the safety data sheet

Company name: REMA TIP TOP AG

Street: Gruber Strasse 65

Place: D-85586 Poing

Telephone: +49 (0) 8121 / 707 - 100

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

##### 1.4. Emergency telephone

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

##### number:

In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 2

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Carcinogenicity: Carc. 2

Specific target organ toxicity - single exposure: STOT SE 3

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements:

Fatal if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

##### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

##### Hazard components for labelling

Dicyclohexylmethane-4,4'-diisocyanate

methylenediphenyl diisocyanate

triethoxy(3-isocyanatopropyl)silane

Signal word: Danger



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP FIXPASTE REMA GOO PART A

Revision date: 31.01.2018

Product code: 00156-0379

Page 2 of 11

**Pictograms:****Hazard statements**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe vapours.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.

**Special labelling of certain mixtures**

EUH204	Contains isocyanates. May produce an allergic reaction.
--------	---

**2.3. Other hazards**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

## SECTION 3: Composition/information on ingredients

**3.2. Mixtures****Chemical characterization**

Preparation with isocyanates



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP FIXPASTE REMA GOO PART A

Revision date: 31.01.2018

Product code: 00156-0379

Page 3 of 11

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
5124-30-1	Dicyclohexylmethane-4,4'-di-isocyanate			25 - 40 %
	225-863-2	615-009-00-0	01-2119457437-31	
	Acute Tox. 2, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3; H330 H315 H319 H334 H317 H335			
26447-40-5	methylenediphenyl diisocyanate			1 - 15 %
	247-714-0	615-005-00-9		
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373			
24801-88-5	triethoxy(3-isocyanatopropyl)silane			1 - 5 %
	246-467-6			
	Acute Tox. 2, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, STOT SE 3; H330 H312 H302 H315 H319 H334 H335			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

- Remove contaminated soaked clothing immediately.
- In the event of persistent symptoms receive medical treatment.
- Take away from danger area and lay down affected person.

#### After inhalation

- Move to fresh air in case of accidental inhalation of vapours.
- If patient is not breathing, apply artificial respiration.
- Refer for medical treatment.

#### After contact with skin

- Wash contaminated skin with plenty of water and soap or with liquid polyethylene glycol.
- Consult a doctor if skin irritation persists.

#### After contact with eyes

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- Seek medical treatment by eye specialist.

#### After ingestion

- Do not induce vomiting.
- Rinse out mouth thoroughly with water.
- Summon a doctor immediately.
- Induce vomiting only upon the advice of a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

- Fatal if inhaled.
- Causes skin irritation.
- May cause an allergic skin reaction.
- Causes serious eye irritation.
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause respiratory irritation.
- Suspected of causing cancer.
- May cause damage to organs through prolonged or repeated exposure.





## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP FIXPASTE REMA GOO PART A

Revision date: 31.01.2018

Product code: 00156-0379

Page 4 of 11

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.  
Keep under medical supervision for at least 48 hours.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Alcohol-resistant foam, dry chemical, carbon dioxide (CO<sub>2</sub>), water-spray.

##### **Unsuitable extinguishing media**

Full water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Fire may produce:  
carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>)  
Hydrogen cyanide (HCN)

#### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective suit.

#### **Additional information**

Cool containers at risk with water spray jet.  
Do not release chemically contaminated water into drains, soil or surface waters. Sufficient measures must be taken to retain water used for extinguishing.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

In case of vapour formation use respirator.  
Ensure adequate ventilation.  
Remove persons to safety.  
Use personal protective clothing.

#### **6.2. Environmental precautions**

Do not discharge into the drains/surface waters/ground water.  
Do not discharge into the subsoil/soil.

#### **6.3. Methods and material for containment and cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).  
Shovel into suitable container for disposal.  
Container should not be gas-tight closed.  
Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.

#### **6.4. Reference to other sections**

Observe protective instructions (see Sections 7 and 8).  
Information for disposal see section 13.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Keep container tightly closed.  
Vapours are heavier than air and spread along ground.  
Avoid contact with the skin and the eyes.  
Do not breathe vapours.  
Local exhaust.  
Use only in thoroughly ventilated areas.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP FIXPASTE REMA GOO PART A

Revision date: 31.01.2018

Product code: 00156-0379

Page 5 of 11

#### Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.

Store only in original container at temperature of 30°C maximum (=86°F).

Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.

##### Advice on storage compatibility

Exothermic reaction with:

Acids and bases.

Water, amines, alcohols

##### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.

#### 7.3. Specific end use(s)

Conveyor belt repair material

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Additional advice on limit values

No data available.

#### 8.2. Exposure controls

##### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

##### Protective and hygiene measures

Do not inhale vapours.

Avoid contact with eyes and skin.

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing.

##### Eye/face protection

Tightly fitting goggles (EN 166).

Eye wash bottle with pure water (EN 15154).

##### Hand protection

Splash protection:

Protective gloves resistant to chemicals made of nitrile, minimum coat thickness 0.4 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Camatril Velours 730> made by [www.kcl.de](http://www.kcl.de).

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

##### Skin protection

Long sleeved clothing (EN 368).

Single-use coverall

##### Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP FIXPASTE REMA GOO PART A

Revision date: 31.01.2018

Product code: 00156-0379

Page 6 of 11

#### SECTION 9: Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid - viscous
Colour:	Black
Odour:	Soft

##### Test method

##### Changes in the physical state

Initial boiling point and boiling range:	> 200 °C
Pourpoint:	
Flash point:	> 140 °C Closed cup
Lower explosion limits:	n.d.
Upper explosion limits:	
Vapour pressure: (at 20 °C)	5,33288 10 <sup>-7</sup> hPa
Density (at 20 °C):	1,08 g/cm <sup>3</sup>
Water solubility: (at 20 °C)	Reacts with water.
Viscosity / dynamic:	2500 - 4000 mPa·s

##### 9.2. Other information

No data available.

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

No decomposition if stored and applied as directed.

##### 10.2. Chemical stability

Stable under normal conditions.

##### 10.3. Possibility of hazardous reactions

Reactions with strong acids and alkalies.  
Reacts with: Water, amines, alcohols

##### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.  
Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.

##### 10.5. Incompatible materials

Acids and bases.  
Water, amines, alcohols

##### 10.6. Hazardous decomposition products

Hydrogen cyanide gas, Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and nitrogen oxides (NO<sub>x</sub>)

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

##### Acute toxicity



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP FIXPASTE REMA GOO PART A

Revision date: 31.01.2018

Product code: 00156-0379

Page 7 of 11

Fatal if inhaled.  
No toxicological data available.  
ATEmix/oral: > 5000 mg/kg  
ATEmix/dermal: > 2000 mg/kg  
ATEmix/inhalation: < 0,5 mg/l

#### Irritation and corrosivity

Causes skin irritation.  
Causes serious eye irritation.

#### Sensitising effects

May cause an allergic skin reaction. (Dicyclohexylmethane-4,4'-di-isocyanate; methylenediphenyl diisocyanate)  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
(Dicyclohexylmethane-4,4'-di-isocyanate; methylenediphenyl diisocyanate; triethoxy(3-isocyanatopropyl)silane)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (methylenediphenyl diisocyanate)  
Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (Dicyclohexylmethane-4,4'-di-isocyanate; methylenediphenyl diisocyanate)

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

#### Practical experience

#### Other observations

With hypersensitive people, reactions as cough or difficulty of breathing may appear even with tiny concentrations of isocyanates; therefore keep room aerated and ventilated.  
Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecological data are not available.  
Dicyclohexylmethane-4,4'-di-isocyanate  
LC50/Danio rerio/96 h > 8,1 mg/l  
EC50/Daphnia magna/48 h > 8,3 mg/l  
ErC50 Desmodesmus subspicatus/72 h > 5 mg/l

### 12.2. Persistence and degradability

Not readily biodegradable.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

### 12.6. Other adverse effects

Low hazard to waters.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP FIXPASTE REMA GOO PART A

Revision date: 31.01.2018

Product code: 00156-0379

Page 8 of 11

#### Further information

In aqueous systems, formation of insoluble and chemically inert (inactive) polyureas.  
Do not flush into surface water or sanitary sewer system.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Advice on disposal

Where possible recycling is preferred to disposal.  
Can be incinerated, when in compliance with local regulations.

##### Waste disposal number of waste from residues/unused products


080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

##### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.  
Contaminated packagings are to be treated like the product itself.  
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<b>14.1. UN number:</b>	UN 2206
<b>14.2. UN proper shipping name:</b>	ISOCYANATE SOLUTION, TOXIC, N.O.S. (Dicyclohexylmethane-4,4'-di-isocyanate, methylenediphenyl diisocyanate, triethoxy(3-isocyanatopropyl)silane)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1 
Classification code:	T1
Limited quantity:	100 mL / 30 kg
Excepted quantity:	E4
Transport category:	2
Hazard No:	60
Tunnel restriction code:	D/E

#### Inland waterways transport (ADN)

<b>14.1. UN number:</b>	UN 2206
<b>14.2. UN proper shipping name:</b>	ISOCYANATE SOLUTION, TOXIC, N.O.S. (Dicyclohexylmethane-4,4'-di-isocyanate, methylenediphenyl diisocyanate, triethoxy(3-isocyanatopropyl)silane)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1





## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP FIXPASTE REMA GOO PART A

Revision date: 31.01.2018

Product code: 00156-0379

Page 9 of 11



Classification code: T1  
Limited quantity: 100 mL / 30 kg  
Excepted quantity: E4

#### Marine transport (IMDG)

**14.1. UN number:** UN 2206  
**14.2. UN proper shipping name:** ISOCYANATE SOLUTION, TOXIC, N.O.S.  
(Dicyclohexylmethane-4,4'-di-isocyanate, methylenediphenyl diisocyanate, triethoxy(3-isocyanatopropyl)silane)  
**14.3. Transport hazard class(es):** 6.1  
**14.4. Packing group:** II  
Hazard label: 6.1



Marine pollutant: No  
Limited quantity: 100 mL / 30 kg  
Excepted quantity: E4  
EmS: F-A, S-A

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 2206  
**14.2. UN proper shipping name:** ISOCYANATE SOLUTION, TOXIC, N.O.S.  
(Dicyclohexylmethane-4,4'-di-isocyanate, methylenediphenyl diisocyanate, triethoxy(3-isocyanatopropyl)silane)  
**14.3. Transport hazard class(es):** 6.1  
**14.4. Packing group:** II  
Hazard label: 6.1



Limited quantity Passenger: 1 L  
Passenger LQ: Y641  
Excepted quantity: E4  
IATA-packing instructions - Passenger: 654  
IATA-max. quantity - Passenger: 5 L  
IATA-packing instructions - Cargo: 662  
IATA-max. quantity - Cargo: 60 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

Take the usual precautions when handling with chemicals.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

### SECTION 15: Regulatory information



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### TIP TOP FIXPASTE REMA GOO PART A

Revision date: 31.01.2018

Product code: 00156-0379

Page 10 of 11

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 56: methylenediphenyl diisocyanate

2004/42/EC (VOC): 0 %

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

##### Additional information

Consider Chemical prohibition regulation.

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

#### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TIP TOP FIXPASTE REMA GOO PART A**

Revision date: 31.01.2018

Product code: 00156-0379

Page 11 of 11

EUH204 Contains isocyanates. May produce an allergic reaction.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

